

# NRNT2.E168231 - Switches, Industrial Control - Component

\*\*HISTORICAL\*\*

*Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.*

## Switches, Industrial Control - Component

See General Information for Switches, Industrial Control - Component

**KOREA AUTO CONTROLS CO LTD**  
66 GEONJI-RO 250BEON-GIL SEO-GU  
INCHEON, 22837 REPUBLIC OF KOREA

E168231

### Investigated to ANSI/UL 508

**Electronic data processing and similar equipment, open type** Model(s) HR 705

**en type, for use in industrial applications** Model(s) 4442090.1070629 (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)

- HR705- 2PPL (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705- 3PL (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2P (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PB (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PBC (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PBD (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PBL (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PBLC (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PBLD (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PC (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PD (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PL (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PLC (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PLD (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PP (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PPC (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PPD (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PPLC (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PPLD (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-3P (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-3PB (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)



HR710-2PL (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)

HR710-2PLC (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)

HR710-2PLD (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)

HR710-2PP (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)

HR710-2PPC (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)

HR710-2PPD (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)

HR710-2PPL (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)

HR710-2PPLC (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)

HR710-2PPLD (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)

**Industrial Control Switches** Model(s) Z15G-10HB

**Open type, for use in industrial application** Model(s) Z15G-03B, Z15G-061B, Z15G-062B, Z15G-063B, Z15G-06B, Z15G-073B, Z15G-07B, Z15G-09B, Z15G-10B, Z15H-060B, Z15H-08B

**Open type, for use in industrial applications, "Z Series"** Model(s) Z followed by any suffix

**Open type, for use in industrial applications** Model(s) 505, K706-1PL 110VAC, K706-1PL 110VDC, K706-1PL 12VDC, K706-1PL 230VAC, K706-1PL 24VAC, K706-1PL 24VDC, K706-1PL 48VDC, K706-1PL 6VDC, K706-1PLD 110VDC, K706-1PLD 12VDC, K706-1PLD 24VDC, K706-1PLD 48VDC, K706-1PLD 6VDC, K706-1PLDT 110VDC, K706-1PLDT 12VDC, K706-1PLDT 24VDC, K706-1PLDT 48VDC, K706-1PLDT 6VDC, K706-1PLT 110VAC, K706-1PLT 110VDC, K706-1PLT 12VDC, K706-1PLT 230VAC, K706-1PLT 24VAC, K706-1PLT 24VDC, K706-1PLT 48VDC, K706-1PLT 6VDC, K706-2PL 110VAC, K706-2PL 110VDC, K706-2PL 12VDC, K706-2PL 230VAC, K706-2PL 24VAC, K706-2PL 24VDC, K706-2PL 48VDC, K706-2PL 6VDC, K706-2PLD 110VDC, K706-2PLD 12VDC, K706-2PLD 24VDC, K706-2PLD 48VDC, K706-2PLD 6VDC, K706-2PLDT 110VDC, K706-2PLDT 12VDC, K706-2PLDT 24VDC, K706-2PLDT 48VDC, K706-2PLDT 6VDC, K706-2PLT 110VAC, K706-2PLT 110VDC, K706-2PLT 12VDC, K706-2PLT 230VAC, K706-2PLT 24VAC, K706-2PLT 24VDC, K706-2PLT 48VDC, K706-2PLT 6VDC

KMY followed by 2,3 or 4, followed by I, or Black, followed by N or blank, followed by C, D or blank, followed by 1, 2 or blank, followed by /6VDC, /12VDC, /24VDC, /48VDC, /110VDC, /6VAC, /12VAC, /24VAC, /36VAC, /48VAC, /100/110VAC, /200/220VAC or/220/240VAC.

T F

**Relay rockets** Model(s) KY08, KY11, KY14, KYF08, KYF11, KYF14

**Solid state relay** Model(s) KSC , followed by -2, followed by 015, 030, 040, 050, 060 or 080, followed by Z, followed by D, maybe followed by H or HF

KSR , followed by -2, followed by 005, 015, 030, 040, 050, 060 or 080, followed by Z, followed by D, maybe followed by H or HF

**Solid state relay, for use in industrial control applications** Model(s) KMSR-DS

**Switched, Industrial Control** Model(s) TA-1a \*\*V, TA-1a 24V, TR-1a \*\*V

**Switches, industrial controls** Model(s) 730-1PC, 730-1QB, 730-1QR, 730-1TB, 730-1TR, 730-2PC, 730-2QB, 730-2QR, 730-2TB, 730-2TR, HR730-1PC, HR730-1QB, HR730-1QR, HR730-1TB, HR730-1TR, HR730-2PC, HR730-2QB, HR730-2QR, HR730-2TB, HR730-2TR, TA, TR

## Investigated to

**Industrial Control Switches** Model(s) HR705-2P, HR705-2PB, HR705-2PL, HR705-2PP, HR705-3P, HR705-3PB, HR705-3PL, HR705-3PP, HR705-4P, HR705-4PB, HR705-4PL, HR705-4PP, HR710-2P, HR710-2PB, HR710-2PL, HR710-2PP, HR710-3P, HR710-3PB, HR710-3PL, HR710-3PP, HR710-4P, HR710-4PB, HR710-4PL, HR710-4PP

K followed by 22, 25, 30, 25F, 30F, followed by 1 to 9, followed by 1 to 9 or A, B, C, D, followed by R, G, Y, W, B, K, followed by RE, RF, N29, N40, N65, AL, B29, B40, B65, C29, C40, C65, S2R, S3LR, S3L, S3R, L2R, L3LR, L3L, L3R, L, RF, RX, D, DR, T, K or blank followed by 220VAC, 110VAC, 110VDC, 24VDC, 12VDC, 6.3VDC or blank.

K-705-4P-110VAC, K-705-4P-110VDC, K-705-4P-12VAC, K-705-4P-12VDC, K-705-4P-220VAC, K-705-4P-220VDC, K-705-4P-240VAC, K-705-4P-24VAC, K-705-4P-24VDC, K-705-4P-380VAC, K-705-4P-48VDC, K-705-4P-6VAC, K-705-4P-6VDC, K-705-4P-9VDC, K-705-4PB-110VAC, K-705-4PB-110VDC, K-705-4PB-12VAC, K-705-4PB-12VDC, K-705-4PB-220VAC, K-705-4PB-220VDC, K-705-4PB-240VAC, K-705-4PB-24VAC, K-705-4PB-24VDC, K-705-4PB-380VAC, K-705-4PB-48VDC, K-705-4PB-6VAC, K-705-4PB-6VDC, K-705-4PB-9VDC, K-705-4PL-110VAC, K-705-4PL-12VAC, K-705-4PL-12VDC, K-705-4PL-220VAC, K-705-4PL-220VDC, K-705-4PL-240VAC, K-705-4PL-24VAC, K-705-4PL-24VDC, K-705-4PL-380VAC, K-705-4PL-48VDC, K-705-4PL-6VAC, K-705-4PL-6VDC, K-705-4PL-9VDC, K-705-4PP-110VAC, K-705-4PP-110VDC, K-705-4PP-12VAC, K-705-4PP-12VDC, K-705-4PP-220VAC, K-705-4PP-220VDC, K-705-4PP-240VAC, K-705-4PP-24VAC, K-705-4PP-24VDC, K-705-4PP-380VAC, K-705-4PP-48VDC, K-705-4PP-6VAC, K-705-4PP-6VDC, K-705-4PP-9VDC

K-710-2P/6VDC/12VDC/24VDC/48VDC/110VDC/6VAC/12VAC /24VAC/36VAC/48VAC/ 100/110VAC / 200/220VAC / 220/240VAC.





K710-2P, K710-2PL, K710-2PLD, K710-2PD, K710-4P K710-4PL, K710-4PLD, K710-4PD, where P: PLUG-IN TERMIAL, L: LED, D: DIOD

K710-2P-110VAC, K710-2P-110VDC, K710-2P-12VAC, K710-2P-12VC, K710-2P-220VAC, K710-2P-220VDC, K710-2P-240VAC, K710-2P-24VAC, K710-2P-24VDC, K710-2P-380VAC, K710-2P-48VDC, K710-2P-6VAC, K710-2P-6VDC, K710-2P-9VDC, K710-2PB-110VAC, K710-2PB-110VDC, K710-2PB-12VAC, K710-2PB-12VC, K710-2PB-220VAC, K710-2PB-220VDC, K710-2PB-240VAC, K710-2PB-24VAC, K710-2PB-24VDC, K710-2PB-380VAC, K710-2PB-48VDC, K710-2PB-6VAC, K710-2PB-6VDC, K710-2PB-9VDC, K710-2PL-110VAC, K710-2PL-110VDC, K710-2PL-12VAC, K710-2PL-12VC, K710-2PL-220VAC, K710-2PL-220VDC, K710-2PL-240VAC, K710-2PL-24VAC, K710-2PL-24VDC, K710-2PL-380VAC, K710-2PL-48VDC, K710-2PL-6VAC, K710-2PL-6VDC, K710-2PL-9VDC, K710-2PP-110VAC, K710-2PP-110VDC, K710-2PP-12VAC, K710-2PP-12VC, K710-2PP-220VAC, K710-2PP-220VDC, K710-2PP-240VAC, K710-2PP-24VAC, K710-2PP-24VDC, K710-2PP-380VAC, K710-2PP-48VDC, K710-2PP-6VAC, K710-2PP-6VDC, K710-2PP-9VDC, K710-3P-110VAC, K710-3P-110VDC, K710-3P-12VAC, K710-3P-12VC, K710-3P-220VAC, K710-3P-220VDC, K710-3P-240VAC, K710-3P-24VAC, K710-3P-24VDC, K710-3P-380VAC, K710-3P-48VDC, K710-3P-6VAC, K710-3P-6VDC, K710-3P-9VDC, K710-3PB-110VAC, K710-3PB-110VDC, K710-3PB-12VAC, K710-3PB-12VC, K710-3PB-220VAC, K710-3PB-220VDC, K710-3PB-240VAC, K710-3PB-24VAC, K710-3PB-24VDC, K710-3PB-380VAC, K710-3PB-48VDC, K710-3PB-6VAC, K710-3PB-6VDC, K710-3PB-9VDC, K710-3PL-110VAC, K710-3PL-110VDC, K710-3PL-12VAC, K710-3PL-12VC, K710-3PL-220VAC, K710-3PL-220VDC, K710-3PL-240VAC, K710-3PL-24VAC, K710-3PL-24VDC, K710-3PL-380VAC, K710-3PL-48VDC, K710-3PL-6VAC, K710-3PL-6VDC, K710-3PL-9VDC, K710-3PP-110VAC, K710-3PP-110VDC, K710-3PP-12VAC, K710-3PP-12VC, K710-3PP-220VAC, K710-3PP-220VDC, K710-3PP-240VAC, K710-3PP-24VAC, K710-3PP-24VDC, K710-3PP-380VAC, K710-3PP-48VDC, K710-3PP-6VAC, K710-3PP-6VDC, K710-3PP-9VDC, K710-4P-110VAC, K710-4P-110VDC, K710-4P-12VAC, K710-4P-12VC, K710-4P-220VAC, K710-4P-220VDC, K710-4P-240VAC, K710-4P-24VAC, K710-4P-24VDC, K710-4P-380VAC, K710-4P-48VDC, K710-4P-6VAC, K710-4P-6VDC, K710-4P-9VDC, K710-4PB-110VAC, K710-4PB-110VDC, K710-4PB-12VAC, K710-4PB-12VC, K710-4PB-220VAC, K710-4PB-220VDC, K710-4PB-240VAC, K710-4PB-24VAC, K710-4PB-24VDC, K710-4PB-380VAC, K710-4PB-48VDC, K710-4PB-6VAC, K710-4PB-6VDC, K710-4PB-9VDC, K710-4PL-110VAC, K710-4PL-110VDC, K710-4PL-12VAC, K710-4PL-12VC, K710-4PL-220VAC, K710-4PL-220VDC, K710-4PL-240VAC, K710-4PL-24VAC, K710-4PL-24VDC, K710-4PL-380VAC, K710-4PL-48VDC, K710-4PL-6VAC, K710-4PL-6VDC, K710-4PL-9VDC, K710-4PP-110VAC, K710-4PP-110VDC, K710-4PP-12VAC, K710-4PP-12VC, K710-4PP-220VAC, K710-4PP-220VDC, K710-4PP-240VAC, K710-4PP-24VAC, K710-4PP-24VDC, K710-4PP-380VAC, K710-4PP-48VDC, K710-4PP-6VAC, K710-4PP-6VDC, K710-4PP-9VDC

KL followed by L, M or S followed by A, followed by P1, P2, L1, L2, L3 or L4.

KLY2N-110VAC, KLY2N-110VAC-L, KLY2N-110VDC, KLY2N-110VDC-L, KLY2N-12VAC, KLY2N-12VAC-L, KLY2N-12VDC, KLY2N-12VDC-L, KLY2N-18VAC, KLY2N-18VAC-L, KLY2N-18VDC, KLY2N-18VDC-L, KLY2N-220VAC, KLY2N-220VAC-L, KLY2N-240VAC, KLY2N-240VAC-L, KLY2N-24VAC, KLY2N-24VAC-L, KLY2N-24VDC, KLY2N-24VDC-L, KLY2N-2A-110VAC, KLY2N-2A-110VAC-L, KLY2N-2A-110VDC, KLY2N-2A-110VDC-L, KLY2N-2A-12VAC, KLY2N-2A-12VAC-L, KLY2N-2A-12VDC, KLY2N-2A-12VDC-L, KLY2N-2A-18VAC, KLY2N-2A-18VAC-L, KLY2N-2A-18VDC, KLY2N-2A-18VDC-L, KLY2N-2A-220VAC, KLY2N-2A-220VAC-L, KLY2N-2A-240VAC, KLY2N-2A-240VAC-L, KLY2N-2A-24VAC, KLY2N-2A-24VAC-L, KLY2N-2A-24VDC, KLY2N-2A-24VDC-L, KLY2N-2A-36VAC, KLY2N-2A-36VAC-L, KLY2N-2A-36VDC, KLY2N-2A-36VDC-L, KLY2N-2A-48VAC, KLY2N-2A-48VAC-L, KLY2N-2A-48VDC, KLY2N-2A-48VDC-L, KLY2N-2A-60VAC, KLY2N-2A-60VAC-L, KLY2N-2A-60VDC, KLY2N-2A-60VDC-L, KLY2N-2A-6VAC, KLY2N-2A-6VAC-L, KLY2N-2A-6VDC, KLY2N-2A-6VDC-L, KLY2N-2A-9VAC, KLY2N-2A-9VAC-L, KLY2N-2A-9VDC, KLY2N-2A-9VDC-L, KLY2N-2B-110VAC, KLY2N-2B-110VAC-L, KLY2N-2B-110VDC, KLY2N-2B-110VDC-L, KLY2N-2B-12VAC, KLY2N-2B-12VAC-L, KLY2N-2B-12VDC, KLY2N-2B-12VDC-L, KLY2N-2B-18VAC, KLY2N-2B-18VAC-L, KLY2N-2B-18VDC, KLY2N-2B-18VDC-L, KLY2N-2B-220VAC, KLY2N-2B-220VAC-L, KLY2N-2B-240VAC, KLY2N-2B-240VAC-L, KLY2N-2B-24VAC, KLY2N-2B-24VAC-L, KLY2N-2B-24VDC, KLY2N-2B-24VDC-L, KLY2N-2B-36VAC, KLY2N-2B-36VAC-L, KLY2N-2B-36VDC, KLY2N-2B-36VDC-L, KLY2N-2B-48VAC, KLY2N-2B-48VAC-L, KLY2N-2B-48VDC, KLY2N-2B-48VDC-L, KLY2N-2B-60VAC, KLY2N-2B-60VAC-L, KLY2N-2B-60VDC, KLY2N-2B-60VDC-L, KLY2N-2B-6VAC, KLY2N-2B-6VAC-L, KLY2N-2B-6VDC, KLY2N-2B-6VDC-L, KLY2N-2B-9VAC, KLY2N-2B-9VAC-L, KLY2N-2B-9VDC, KLY2N-2B-9VDC-L, KLY2N-36VAC, KLY2N-36VAC-L, KLY2N-36VDC, KLY2N-36VDC-L, KLY2N-48VAC, KLY2N-48VAC-L, KLY2N-48VDC, KLY2N-48VDC-L, KLY2N-60VAC, KLY2N-60VAC-L, KLY2N-60VDC, KLY2N-60VDC-L, KLY2N-6VAC, KLY2N-6VAC-L, KLY2N-6VDC, KLY2N-6VDC-L, KLY2N-9VAC, KLY2N-9VAC-L, KLY2N-9VDC, KLY2N-9VDC-L, KMY2N-110VAC, KMY2N-110VAC-L, KMY2N-110VDC, KMY2N-110VDC-L, KMY2N-12VAC, KMY2N-12VAC-L, KMY2N-12VDC, KMY2N-12VDC-L, KMY2N-18VAC, KMY2N-18VAC-L, KMY2N-18VDC, KMY2N-18VDC-L, KMY2N-220VAC, KMY2N-220VAC-L, KMY2N-240VAC, KMY2N-240VAC-L, KMY2N-24VAC, KMY2N-24VAC-L, KMY2N-24VDC, KMY2N-24VDC-L, KMY2N-2A-110VAC, KMY2N-2A-110VAC-L, KMY2N-2A-110VDC, KMY2N-2A-110VDC-L, KMY2N-2A-12VAC, KMY2N-2A-12VAC-L, KMY2N-2A-12VDC, KMY2N-2A-12VDC-L, KMY2N-2A-18VAC, KMY2N-2A-18VAC-L, KMY2N-2A-18VDC, KMY2N-2A-18VDC-L, KMY2N-2A-220VAC, KMY2N-2A-220VAC-L, KMY2N-2A-240VAC, KMY2N-2A-240VAC-L, KMY2N-2A-24VAC, KMY2N-2A-24VAC-L, KMY2N-2A-24VDC, KMY2N-2A-24VDC-L, KMY2N-2A-36VAC, KMY2N-2A-36VAC-L, KMY2N-2A-36VDC, KMY2N-2A-36VDC-L, KMY2N-2A-48VAC, KMY2N-2A-48VAC-L, KMY2N-2A-48VDC, KMY2N-2A-48VDC-L, KMY2N-2A-60VAC, KMY2N-2A-60VAC-L, KMY2N-2A-60VDC, KMY2N-2A-60VDC-L, KMY2N-2A-6VAC, KMY2N-2A-6VAC-L, KMY2N-2A-6VDC, KMY2N-2A-6VDC-L, KMY2N-2A-9VAC, KMY2N-2A-9VAC-L, KMY2N-2A-9VDC, KMY2N-2A-9VDC-L, KMY2N-2B-110VAC, KMY2N-2B-110VAC-L, KMY2N-2B-110VDC, KMY2N-2B-110VDC-L, KMY2N-2B-12VAC, KMY2N-2B-12VAC-L, KMY2N-2B-12VDC, KMY2N-2B-12VDC-L, KMY2N-2B-18VAC, KMY2N-2B-18VAC-L, KMY2N-2B-18VDC, KMY2N-2B-18VDC-L, KMY2N-2B-220VAC, KMY2N-2B-220VAC-L, KMY2N-2B-240VAC, KMY2N-2B-240VAC-L, KMY2N-2B-24VAC, KMY2N-2B-24VAC-L, KMY2N-2B-24VDC, KMY2N-2B-24VDC-L, KMY2N-2B-36VAC, KMY2N-2B-36VAC-L, KMY2N-2B-36VDC, KMY2N-2B-36VDC-L, KMY2N-2B-48VAC, KMY2N-2B-48VAC-L, KMY2N-2B-48VDC, KMY2N-2B-48VDC-L, KMY2N-2B-60VAC, KMY2N-2B-60VAC-L, KMY2N-2B-60VDC, KMY2N-2B-60VDC-L, KMY2N-2B-6VAC, KMY2N-2B-6VAC-L, KMY2N-2B-6VDC, KMY2N-2B-6VDC-L, KMY2N-2B-9VAC, KMY2N-2B-9VAC-L, KMY2N-2B-9VDC, KMY2N-2B-9VDC-L, KMY2N-36VAC, KMY2N-36VAC-L, KMY2N-36VDC, KMY2N-36VDC-L, KMY2N-48VAC, KMY2N-48VAC-L, KMY2N-48VDC, KMY2N-48VDC-L, KMY2N-60VAC, KMY2N-60VAC-L, KMY2N-60VDC, KMY2N-60VDC-L, KMY2N-6VAC, KMY2N-6VAC-L, KMY2N-6VDC, KMY2N-6VDC-L, KMY2N-9VAC, KMY2N-9VAC-L, KMY2N-9VDC, KMY2N-9VDC-L, KMY3N-110VAC, KMY3N-110VAC-L, KMY3N-110VDC, KMY3N-110VDC-L, KMY3N-12VAC, KMY3N-12VAC-L, KMY3N-12VDC, KMY3N-12VDC-L, KMY3N-18VAC, KMY3N-18VAC-L, KMY3N-18VDC, KMY3N-18VDC-L, KMY3N-220VAC, KMY3N-220VAC-L, KMY3N-240VAC, KMY3N-240VAC-L, KMY3N-24VAC, KMY3N-24VAC-L, KMY3N-24VDC, KMY3N-24VDC-L, KMY3N-36VAC, KMY3N-36VAC-L, KMY3N-36VDC, KMY3N-36VDC-L, KMY3N-3A-110VAC, KMY3N-3A-110VAC-L, KMY3N-3A-110VDC, KMY3N-3A-110VDC-L, KMY3N-3A-12VAC, KMY3N-3A-12VAC-L, KMY3N-3A-12VDC, KMY3N-3A-12VDC-L, KMY3N-3A-18VAC, KMY3N-3A-

18VAC-L, KMY3N-3A-18VDC, KMY3N-3A-18VDC-L, KMY3N-3A-220VAC, KMY3N-3A-220VAC-L, KMY3N-3A-240VAC, KMY3N-3A-240VAC-L, KMY3N-3A-24VAC, KMY3N-3A-24VAC-L, KMY3N-3A-24VDC, KMY3N-3A-24VDC-L, KMY3N-3A-36VAC, KMY3N-3A-36VAC-L, KMY3N-3A-36VDC, KMY3N-3A-36VDC-L, KMY3N-3A-48VAC, KMY3N-3A-48VAC-L, KMY3N-3A-48VDC, KMY3N-3A-48VDC-L, KMY3N-3A-60VAC, KMY3N-3A-60VAC-L, KMY3N-3A-60VDC, KMY3N-3A-60VDC-L, KMY3N-3A-6VAC, KMY3N-3A-6VAC-L, KMY3N-3A-6VDC, KMY3N-3A-6VDC-L, KMY3N-3A-9VAC, KMY3N-3A-9VAC-L, KMY3N-3A-9VDC, KMY3N-3A-9VDC-L, KMY3N-3B-110VAC, KMY3N-3B-110VAC-L, KMY3N-3B-110VDC, KMY3N-3B-110VDC-L, KMY3N-3B-12VAC, KMY3N-3B-12VAC-L, KMY3N-3B-12VDC, KMY3N-3B-12VDC-L, KMY3N-3B-18VAC, KMY3N-3B-18VAC-L, KMY3N-3B-18VDC, KMY3N-3B-18VDC-L, KMY3N-3B-220VAC, KMY3N-3B-220VAC-L, KMY3N-3B-240VAC, KMY3N-3B-240VAC-L, KMY3N-3B-24VAC, KMY3N-3B-24VAC-L, KMY3N-3B-24VDC, KMY3N-3B-24VDC-L, KMY3N-3B-36VAC, KMY3N-3B-36VAC-L, KMY3N-3B-36VDC, KMY3N-3B-36VDC-L, KMY3N-3B-48VAC, KMY3N-3B-48VAC-L, KMY3N-3B-48VDC, KMY3N-3B-48VDC-L, KMY3N-3B-60VAC, KMY3N-3B-60VAC-L, KMY3N-3B-60VDC, KMY3N-3B-60VDC-L, KMY3N-3B-6VAC, KMY3N-3B-6VAC-L, KMY3N-3B-6VDC, KMY3N-3B-6VDC-L, KMY3N-3B-9VAC, KMY3N-3B-9VAC-L, KMY3N-3B-9VDC, KMY3N-3B-9VDC-L, KMY3N-48VAC, KMY3N-48VAC-L, KMY3N-48VDC, KMY3N-48VDC-L, KMY3N-60VAC, KMY3N-60VAC-L, KMY3N-60VDC, KMY3N-60VDC-L, KMY3N-6VAC, KMY3N-6VAC-L, KMY3N-6VDC, KMY3N-6VDC-L, KMY3N-9VAC, KMY3N-9VAC-L, KMY3N-9VDC, KMY3N-9VDC-L, KMY4N-110VAC, KMY4N-110VAC-L, KMY4N-110VDC, KMY4N-110VDC-L, KMY4N-12VAC, KMY4N-12VAC-L, KMY4N-12VDC, KMY4N-12VDC-L, KMY4N-18VAC, KMY4N-18VAC-L, KMY4N-18VDC, KMY4N-18VDC-L, KMY4N-220VAC, KMY4N-220VAC-L, KMY4N-240VAC, KMY4N-240VAC-L, KMY4N-24VAC, KMY4N-24VAC-L, KMY4N-24VDC, KMY4N-24VDC-L, KMY4N-36VAC, KMY4N-36VAC-L, KMY4N-36VDC, KMY4N-36VDC-L, KMY4N-48VAC, KMY4N-48VAC-L, KMY4N-48VDC, KMY4N-48VDC-L, KMY4N-4A-110VAC, KMY4N-4A-110VAC-L, KMY4N-4A-110VDC, KMY4N-4A-110VDC-L, KMY4N-4A-12VAC, KMY4N-4A-12VAC-L, KMY4N-4A-12VDC, KMY4N-4A-12VDC-L, KMY4N-4A-18VAC, KMY4N-4A-18VAC-L, KMY4N-4A-18VDC, KMY4N-4A-18VDC-L, KMY4N-4A-220VAC, KMY4N-4A-220VAC-L, KMY4N-4A-240VAC, KMY4N-4A-240VAC-L, KMY4N-4A-24VAC, KMY4N-4A-24VAC-L, KMY4N-4A-24VDC, KMY4N-4A-24VDC-L, KMY4N-4A-36VAC, KMY4N-4A-36VAC-L, KMY4N-4A-36VDC, KMY4N-4A-36VDC-L, KMY4N-4A-48VAC, KMY4N-4A-48VAC-L, KMY4N-4A-48VDC, KMY4N-4A-48VDC-L, KMY4N-4A-60VAC, KMY4N-4A-60VAC-L, KMY4N-4A-60VDC, KMY4N-4A-60VDC-L, KMY4N-4A-6VAC, KMY4N-4A-6VAC-L, KMY4N-4A-6VDC, KMY4N-4A-6VDC-L, KMY4N-4A-9VAC, KMY4N-4A-9VAC-L, KMY4N-4A-9VDC, KMY4N-4A-9VDC-L, KMY4N-4B-110VAC, KMY4N-4B-110VAC-L, KMY4N-4B-110VDC, KMY4N-4B-110VDC-L, KMY4N-4B-12VAC, KMY4N-4B-12VAC-L, KMY4N-4B-12VDC, KMY4N-4B-12VDC-L, KMY4N-4B-18VAC, KMY4N-4B-18VAC-L, KMY4N-4B-18VDC, KMY4N-4B-18VDC-L, KMY4N-4B-220VAC, KMY4N-4B-220VAC-L, KMY4N-4B-240VAC, KMY4N-4B-240VAC-L, KMY4N-4B-24VAC, KMY4N-4B-24VAC-L, KMY4N-4B-24VDC, KMY4N-4B-24VDC-L, KMY4N-4B-36VAC, KMY4N-4B-36VAC-L, KMY4N-4B-36VDC, KMY4N-4B-36VDC-L, KMY4N-4B-48VAC, KMY4N-4B-48VAC-L, KMY4N-4B-48VDC, KMY4N-4B-48VDC-L, KMY4N-4B-60VAC, KMY4N-4B-60VAC-L, KMY4N-4B-60VDC, KMY4N-4B-60VDC-L, KMY4N-4B-6VAC, KMY4N-4B-6VAC-L, KMY4N-4B-6VDC, KMY4N-4B-6VDC-L, KMY4N-4B-9VAC, KMY4N-4B-9VAC-L, KMY4N-4B-9VDC, KMY4N-4B-9VDC-L, KMY4N-60VAC, KMY4N-60VAC-L, KMY4N-60VDC, KMY4N-60VDC-L, KMY4N-6VAC, KMY4N-6VAC-L, KMY4N-6VDC, KMY4N-6VDC-L, KMY4N-9VAC, KMY4N-9VAC-L, KMY4N-9VDC, KMY4N-9VDC-L

\*\* - 05 through 24

Marking: Company name or trademark **KASYS**, **KACOM** and model designation on the product or on the smallest unit container in which the product is packaged.

Last Updated on 2020-06-19

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"

# NRNT8.E168231 - Switches, Industrial Control Certified for Canada - Component

\*\*HISTORICAL\*\*

*Note: We are enhancing our systems and you may notice duplicate entries/missing/outdated data. During this interim period, please contact our Customer Service at <https://www.ul.com/about/locations>.*

## Switches, Industrial Control Certified for Canada - Component

See General Information for Switches, Industrial Control Certified for Canada - Component

**KOREA AUTO CONTROLS CO LTD**  
66 GEONJI-RO 250BEON-GIL SEO-GU  
INCHEON, 22837 REPUBLIC OF KOREA

E168231

### Investigated to CAN/CSA C22.2 No. 14-13

**Industrial Control Switches** Model(s) Z15G-10HB

### Investigated to CAN/CSA C22.2. No. 14-10

**Electronic data processing and similar equipment, open type** Model(s) HR 705

**en type, for use in industrial applications** Model(s) 4442090.1070629 (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)

- HR705- 2PPL (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705- 3PL (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2P (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PB (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PBC (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PBD (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PBL (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PBLC (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PBLD (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PC (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PD (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PL (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PLC (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PLD (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PP (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PPC (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PPD (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)
- HR705-2PPLC (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)





HR710-2PBLD (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)  
HR710-2PC (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)  
HR710-2PD (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)  
HR710-2PL (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)  
HR710-2PLC (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)  
HR710-2PLD (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)  
HR710-2PP (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)  
HR710-2PPC (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)  
HR710-2PPD (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)  
HR710-2PPL (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)  
HR710-2PPLC (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)  
HR710-2PPLD (6VDC, 12VDC, 24VDC, 48VDC, 110VDC, 6VAC, 12VAC, 24VAC, 36VAC, 48VAC, 100/110VAC, 200/220VAC, 220/240VAC)

**Open type, for use in industrial application** Model(s) Z15G-03B, Z15G-061B, Z15G-062B, Z15G-063B, Z15G-06B, Z15G-073B, Z15G-07B, Z15G-09B, Z15G-10B, Z15H-060B, Z15H-08B

**Open type, for use in industrial applications, "Z Series"** Model(s) Z followed by any suffix

**Open type, for use in industrial applications** Model(s) 505, K706-1PL 110VAC, K706-1PL 110VDC, K706-1PL 12VDC, K706-1PL 230VAC, K706-1PL 24VAC, K706-1PL 24VDC, K706-1PL 48VDC, K706-1PL 6VDC, K706-1PLD 110VDC, K706-1PLD 12VDC, K706-1PLD 24VDC, K706-1PLD 48VDC, K706-1PLD 6VDC, K706-1PLDT 110VDC, K706-1PLDT 12VDC, K706-1PLDT 24VDC, K706-1PLDT 48VDC, K706-1PLDT 6VDC, K706-1PLT 110VAC, K706-1PLT 110VDC, K706-1PLT 12VDC, K706-1PLT 230VAC, K706-1PLT 24VAC, K706-1PLT 24VDC, K706-1PLT 48VDC, K706-1PLT 6VDC, K706-2PL 110VAC, K706-2PL 110VDC, K706-2PL 12VDC, K706-2PL 230VAC, K706-2PL 24VAC, K706-2PL 24VDC, K706-2PL 48VDC, K706-2PL 6VDC, K706-2PLD 110VDC, K706-2PLD 12VDC, K706-2PLD 24VDC, K706-2PLD 48VDC, K706-2PLD 6VDC, K706-2PLDT 110VDC, K706-2PLDT 12VDC, K706-2PLDT 24VDC, K706-2PLDT 48VDC, K706-2PLDT 6VDC, K706-2PLT 110VAC, K706-2PLT 110VDC, K706-2PLT 12VDC, K706-2PLT 230VAC, K706-2PLT 24VAC, K706-2PLT 24VDC, K706-2PLT 48VDC, K706-2PLT 6VDC

KMY followed by 2,3 or 4, followed by I, or Black, followed by N or blank, followed by C, D or blank, followed by 1, 2 or blank, followed by /6VDC, /12VDC, /24VDC, /48VDC, /110VDC, /6VAC, /12VAC, /24VAC, /36VAC, /48VAC, /100/110VAC, /200/220VAC or/220/240VAC.

T F

**Relay rockets** Model(s) KY08, KY11, KY14, KYF08, KYF11, KYF14

**Solid state relay** Model(s) KSC , followed by -2, followed by 015, 030, 040, 050, 060 or 080, followed by Z, followed by D, maybe followed by H or HF

KSR , followed by -2, followed by 005, 015, 030, 040, 050, 060 or 080, followed by Z, followed by D, maybe followed by H or HF

**Solid state relay, for use in industrial control applications** Model(s) KMSR-DS

**Switched, Industrial Control** Model(s) TA-1a \*\*V, TA-1a 24V, TR-1a \*\*V

**Switches, industrial controls** Model(s) 730-1PC, 730-1QB, 730-1QR, 730-1TB, 730-1TR, 730-2PC, 730-2QB, 730-2QR, 730-2TB, 730-2TR, HR730-1PC, HR730-1QB, HR730-1QR, HR730-1TB, HR730-1TR, HR730-2PC, HR730-2QB, HR730-2QR, HR730-2TB, HR730-2TR, TA, TR

## Investigated to

**Industrial Control Switches** Model(s) HR705-2P, HR705-2PB, HR705-2PL, HR705-2PP, HR705-3P, HR705-3PB, HR705-3PL, HR705-3PP, HR705-4P, HR705-4PB, HR705-4PL, HR705-4PP, HR710-2P, HR710-2PB, HR710-2PL, HR710-2PP, HR710-3P, HR710-3PB, HR710-3PL, HR710-3PP, HR710-4P, HR710-4PB, HR710-4PL, HR710-4PP

K followed by 22, 25, 30, 25F, 30F, followed by 1 to 9, followed by 1 to 9 or A, B, C, D, followed by R, G, Y, W, B, K, followed by RE, RF, N29, N40, N65, AL, B29, B40, B65, C29, C40, C65, S2R, S3LR, S3L, S3R, L2R, L3LR, L3L, L3R, L, RF, RX, D, DR, T, K or blank followed by 220VAC, 110VAC, 110VDC, 24VDC, 12VDC, 6.3VDC or blank.

K-705-4P-110VAC, K-705-4P-110VDC, K-705-4P-12VAC, K-705-4P-12VDC, K-705-4P-220VAC, K-705-4P-220VDC, K-705-4P-240VAC, K-705-4P-24VAC, K-705-4P-24VDC, K-705-4P-380VAC, K-705-4P-48VDC, K-705-4P-6VAC, K-705-4P-6VDC, K-705-4P-9VDC, K-705-4PB-110VAC, K-705-4PB-110VDC, K-705-4PB-12VAC, K-705-4PB-12VDC, K-705-4PB-220VAC, K-705-4PB-220VDC, K-705-4PB-240VAC, K-705-4PB-24VAC, K-705-4PB-24VDC, K-705-4PB-380VAC, K-705-4PB-48VDC, K-705-4PB-6VAC, K-705-4PB-6VDC, K-705-4PB-9VDC, K-705-4PL-110VAC, K-705-4PL-12VAC, K-705-4PL-12VDC, K-705-4PL-220VAC, K-705-4PL-220VDC, K-705-4PL-240VAC, K-705-4PL-24VAC, K-705-4PL-24VDC, K-705-4PL-





24VAC, K707-3P2 24VDC, K707-3P2 36VAC, K707-3P2 36VDC, K707-3P2 48VAC, K707-3P2 48VDC, K707-3P2 5VDC, K707-3P2 60VDC, K707-3P2 6VAC, K707-3P2 6VDC, K707-3P2 9VDC, K707-3PE 110/120VAC, K707-3PE 110VDC, K707-3PE 12VAC, K707-3PE 12VDC, K707-3PE 220/240VAC, K707-3PE 24VAC, K707-3PE 24VDC, K707-3PE 36VAC, K707-3PE 36VDC, K707-3PE 48VAC, K707-3PE 48VDC, K707-3PE 5VDC, K707-3PE 60VDC, K707-3PE 6VAC, K707-3PE 6VDC, K707-3PE 9VDC, K707-3PL 110/120VAC, K707-3PL 110VDC, K707-3PL 12VAC, K707-3PL 12VDC, K707-3PL 220/240VAC, K707-3PL 24VAC, K707-3PL 24VDC, K707-3PL 36VAC, K707-3PL 36VDC, K707-3PL 48VAC, K707-3PL 48VDC, K707-3PL 5VDC, K707-3PL 60VDC, K707-3PL 6VAC, K707-3PL 6VDC, K707-3PL 9VDC

K710-2P, K710-2PL, K710-2PLD, K710-2PD, K710-4P K710-4PL, K710-4PLD, K710-4PD, where P: PLUG-IN TERMIAL, L: LED, D: DIOD

K710-2P-110VAC, K710-2P-110VDC, K710-2P-12VAC, K710-2P-12VC, K710-2P-220VAC, K710-2P-220VDC, K710-2P-240VAC, K710-2P-24VAC, K710-2P-24VDC, K710-2P-380VAC, K710-2P-48VDC, K710-2P-6VAC, K710-2P-6VDC, K710-2P-9VDC, K710-2PB-110VAC, K710-2PB-110VDC, K710-2PB-12VAC, K710-2PB-12VC, K710-2PB-220VAC, K710-2PB-220VDC, K710-2PB-240VAC, K710-2PB-24VAC, K710-2PB-24VDC, K710-2PB-380VAC, K710-2PB-48VDC, K710-2PB-6VAC, K710-2PB-6VDC, K710-2PB-9VDC, K710-2PL-110VAC, K710-2PL-110VDC, K710-2PL-12VAC, K710-2PL-12VC, K710-2PL-220VAC, K710-2PL-220VDC, K710-2PL-240VAC, K710-2PL-24VAC, K710-2PL-24VDC, K710-2PL-380VAC, K710-2PL-48VDC, K710-2PL-6VAC, K710-2PL-6VDC, K710-2PL-9VDC, K710-2PP-110VAC, K710-2PP-110VDC, K710-2PP-12VAC, K710-2PP-12VC, K710-2PP-220VAC, K710-2PP-220VDC, K710-2PP-240VAC, K710-2PP-24VAC, K710-2PP-24VDC, K710-2PP-380VAC, K710-2PP-48VDC, K710-2PP-6VAC, K710-2PP-6VDC, K710-2PP-9VDC, K710-3P-110VAC, K710-3P-110VDC, K710-3P-12VAC, K710-3P-12VC, K710-3P-220VAC, K710-3P-220VDC, K710-3P-240VAC, K710-3P-24VAC, K710-3P-24VDC, K710-3P-380VAC, K710-3P-48VDC, K710-3P-6VAC, K710-3P-6VDC, K710-3P-9VDC, K710-3PB-110VAC, K710-3PB-110VDC, K710-3PB-12VAC, K710-3PB-12VC, K710-3PB-220VAC, K710-3PB-220VDC, K710-3PB-240VAC, K710-3PB-24VAC, K710-3PB-24VDC, K710-3PB-380VAC, K710-3PB-48VDC, K710-3PB-6VAC, K710-3PB-6VDC, K710-3PB-9VDC, K710-3PL-110VAC, K710-3PL-110VDC, K710-3PL-12VAC, K710-3PL-12VC, K710-3PL-220VAC, K710-3PL-220VDC, K710-3PL-240VAC, K710-3PL-24VAC, K710-3PL-24VDC, K710-3PL-380VAC, K710-3PL-48VDC, K710-3PL-6VAC, K710-3PL-6VDC, K710-3PL-9VDC, K710-3PP-110VAC, K710-3PP-110VDC, K710-3PP-12VAC, K710-3PP-12VC, K710-3PP-220VAC, K710-3PP-220VDC, K710-3PP-240VAC, K710-3PP-24VAC, K710-3PP-24VDC, K710-3PP-380VAC, K710-3PP-48VDC, K710-3PP-6VAC, K710-3PP-6VDC, K710-3PP-9VDC, K710-4P-110VAC, K710-4P-110VDC, K710-4P-12VAC, K710-4P-12VC, K710-4P-220VAC, K710-4P-220VDC, K710-4P-240VAC, K710-4P-24VAC, K710-4P-24VDC, K710-4P-380VAC, K710-4P-48VDC, K710-4P-6VAC, K710-4P-6VDC, K710-4P-9VDC, K710-4PB-110VAC, K710-4PB-110VDC, K710-4PB-12VAC, K710-4PB-12VC, K710-4PB-220VAC, K710-4PB-220VDC, K710-4PB-240VAC, K710-4PB-24VAC, K710-4PB-24VDC, K710-4PB-380VAC, K710-4PB-48VDC, K710-4PB-6VAC, K710-4PB-6VDC, K710-4PB-9VDC, K710-4PL-110VAC, K710-4PL-110VDC, K710-4PL-12VAC, K710-4PL-12VC, K710-4PL-220VAC, K710-4PL-220VDC, K710-4PL-240VAC, K710-4PL-24VAC, K710-4PL-24VDC, K710-4PL-380VAC, K710-4PL-48VDC, K710-4PL-6VAC, K710-4PL-6VDC, K710-4PL-9VDC, K710-4PP-110VAC, K710-4PP-110VDC, K710-4PP-12VAC, K710-4PP-12VC, K710-4PP-220VAC, K710-4PP-220VDC, K710-4PP-240VAC, K710-4PP-24VAC, K710-4PP-24VDC, K710-4PP-380VAC, K710-4PP-48VDC, K710-4PP-6VAC, K710-4PP-6VDC, K710-4PP-9VDC


KL followed by L, M or S followed by A, followed by P1, P2, L1, L2, L3 or L4.

KLY2N-110VAC, KLY2N-110VAC-L, KLY2N-110VDC, KLY2N-110VDC-L, KLY2N-12VAC, KLY2N-12VAC-L, KLY2N-12VDC, KLY2N-12VDC-L, KLY2N-18VAC, KLY2N-18VAC-L, KLY2N-18VDC, KLY2N-18VDC-L, KLY2N-220VAC, KLY2N-220VAC-L, KLY2N-240VAC, KLY2N-240VAC-L, KLY2N-24VAC, KLY2N-24VAC-L, KLY2N-24VDC, KLY2N-24VDC-L, KLY2N-2A-110VAC, KLY2N-2A-110VAC-L, KLY2N-2A-110VDC, KLY2N-2A-110VDC-L, KLY2N-2A-12VAC, KLY2N-2A-12VAC-L, KLY2N-2A-12VDC, KLY2N-2A-12VDC-L, KLY2N-2A-18VAC, KLY2N-2A-18VAC-L, KLY2N-2A-18VDC, KLY2N-2A-18VDC-L, KLY2N-2A-220VAC, KLY2N-2A-220VAC-L, KLY2N-2A-240VAC, KLY2N-2A-240VAC-L, KLY2N-2A-24VAC, KLY2N-2A-24VAC-L, KLY2N-2A-24VDC, KLY2N-2A-24VDC-L, KLY2N-2A-36VAC, KLY2N-2A-36VAC-L, KLY2N-2A-36VDC, KLY2N-2A-36VDC-L, KLY2N-2A-48VAC, KLY2N-2A-48VAC-L, KLY2N-2A-48VDC, KLY2N-2A-48VDC-L, KLY2N-2A-60VAC, KLY2N-2A-60VAC-L, KLY2N-2A-60VDC, KLY2N-2A-60VDC-L, KLY2N-2A-6VAC, KLY2N-2A-6VAC-L, KLY2N-2A-6VDC, KLY2N-2A-6VDC-L, KLY2N-2A-9VAC, KLY2N-2A-9VAC-L, KLY2N-2A-9VDC, KLY2N-2A-9VDC-L, KLY2N-2B-110VAC, KLY2N-2B-110VAC-L, KLY2N-2B-110VDC, KLY2N-2B-110VDC-L, KLY2N-2B-12VAC, KLY2N-2B-12VAC-L, KLY2N-2B-12VDC, KLY2N-2B-12VDC-L, KLY2N-2B-18VAC, KLY2N-2B-18VAC-L, KLY2N-2B-18VDC, KLY2N-2B-18VDC-L, KLY2N-2B-220VAC, KLY2N-2B-220VAC-L, KLY2N-2B-240VAC, KLY2N-2B-240VAC-L, KLY2N-2B-24VAC, KLY2N-2B-24VAC-L, KLY2N-2B-24VDC, KLY2N-2B-24VDC-L, KLY2N-2B-36VAC, KLY2N-2B-36VAC-L, KLY2N-2B-36VDC, KLY2N-2B-36VDC-L, KLY2N-2B-48VAC, KLY2N-2B-48VAC-L, KLY2N-2B-48VDC, KLY2N-2B-48VDC-L, KLY2N-2B-60VAC, KLY2N-2B-60VAC-L, KLY2N-2B-60VDC, KLY2N-2B-60VDC-L, KLY2N-2B-6VAC, KLY2N-2B-6VAC-L, KLY2N-2B-6VDC, KLY2N-2B-6VDC-L, KLY2N-2B-9VAC, KLY2N-2B-9VAC-L, KLY2N-2B-9VDC, KLY2N-2B-9VDC-L, KLY2N-36VAC, KLY2N-36VAC-L, KLY2N-36VDC, KLY2N-36VDC-L, KLY2N-48VAC, KLY2N-48VAC-L, KLY2N-48VDC, KLY2N-48VDC-L, KLY2N-60VAC, KLY2N-60VAC-L, KLY2N-60VDC, KLY2N-60VDC-L, KLY2N-6VAC, KLY2N-6VAC-L, KLY2N-6VDC, KLY2N-6VDC-L, KLY2N-9VAC, KLY2N-9VAC-L, KLY2N-9VDC, KLY2N-9VDC-L, KMY2N-110VAC, KMY2N-110VAC-L, KMY2N-110VDC, KMY2N-110VDC-L, KMY2N-12VAC, KMY2N-12VAC-L, KMY2N-12VDC, KMY2N-12VDC-L, KMY2N-18VAC, KMY2N-18VAC-L, KMY2N-18VDC, KMY2N-18VDC-L, KMY2N-220VAC, KMY2N-220VAC-L, KMY2N-240VAC, KMY2N-240VAC-L, KMY2N-24VAC, KMY2N-24VAC-L, KMY2N-24VDC, KMY2N-24VDC-L, KMY2N-2A-110VAC, KMY2N-2A-110VAC-L, KMY2N-2A-110VDC, KMY2N-2A-110VDC-L, KMY2N-2A-12VAC, KMY2N-2A-12VAC-L, KMY2N-2A-12VDC, KMY2N-2A-12VDC-L, KMY2N-2A-18VAC, KMY2N-2A-18VAC-L, KMY2N-2A-18VDC, KMY2N-2A-18VDC-L, KMY2N-2A-220VAC, KMY2N-2A-220VAC-L, KMY2N-2A-240VAC, KMY2N-2A-240VAC-L, KMY2N-2A-24VAC, KMY2N-2A-24VAC-L, KMY2N-2A-24VDC, KMY2N-2A-24VDC-L, KMY2N-2A-36VAC, KMY2N-2A-36VAC-L, KMY2N-2A-36VDC, KMY2N-2A-36VDC-L, KMY2N-2A-48VAC, KMY2N-2A-48VAC-L, KMY2N-2A-48VDC, KMY2N-2A-48VDC-L, KMY2N-2A-60VAC, KMY2N-2A-60VAC-L, KMY2N-2A-60VDC, KMY2N-2A-60VDC-L, KMY2N-2A-6VAC, KMY2N-2A-6VAC-L, KMY2N-2A-6VDC, KMY2N-2A-6VDC-L, KMY2N-2A-9VAC, KMY2N-2A-9VAC-L, KMY2N-2A-9VDC, KMY2N-2A-9VDC-L, KMY2N-2B-110VAC, KMY2N-2B-110VAC-L, KMY2N-2B-110VDC, KMY2N-2B-110VDC-L, KMY2N-2B-12VAC, KMY2N-2B-12VAC-L, KMY2N-2B-12VDC, KMY2N-2B-12VDC-L, KMY2N-2B-18VAC, KMY2N-2B-18VAC-L, KMY2N-2B-18VDC, KMY2N-2B-18VDC-L, KMY2N-2B-220VAC, KMY2N-2B-220VAC-L, KMY2N-2B-240VAC, KMY2N-2B-240VAC-L, KMY2N-2B-24VAC, KMY2N-2B-24VAC-L, KMY2N-2B-24VDC, KMY2N-2B-24VDC-L, KMY2N-2B-36VAC, KMY2N-2B-36VAC-L, KMY2N-2B-36VDC, KMY2N-2B-36VDC-L, KMY2N-2B-48VAC, KMY2N-2B-48VAC-L, KMY2N-2B-48VDC, KMY2N-2B-48VDC-L, KMY2N-2B-60VAC, KMY2N-2B-60VAC-L, KMY2N-2B-60VDC, KMY2N-2B-60VDC-L, KMY2N-2B-6VAC, KMY2N-2B-6VAC-L, KMY2N-2B-6VDC, KMY2N-2B-6VDC-L, KMY2N-2B-9VAC, KMY2N-2B-9VAC-L, KMY2N-2B-9VDC, KMY2N-2B-9VDC-L, KMY2N-36VAC, KMY2N-36VAC-L, KMY2N-36VDC, KMY2N-36VDC-L, KMY2N-48VAC, KMY2N-48VAC-L, KMY2N-48VDC,

KMY2N-48VDC-L, KMY2N-60VAC, KMY2N-60VAC-L, KMY2N-60VDC, KMY2N-60VDC-L, KMY2N-6VAC, KMY2N-6VAC-L, KMY2N-6VDC, KMY2N-6VDC-L, KMY2N-9VAC, KMY2N-9VAC-L, KMY2N-9VDC, KMY2N-9VDC-L, KMY3N-110VAC, KMY3N-110VAC-L, KMY3N-110VDC, KMY3N-110VDC-L, KMY3N-12VAC, KMY3N-12VAC-L, KMY3N-12VDC, KMY3N-12VDC-L, KMY3N-18VAC, KMY3N-18VAC-L, KMY3N-18VDC, KMY3N-18VDC-L, KMY3N-220VAC, KMY3N-220VAC-L, KMY3N-240VAC, KMY3N-240VAC-L, KMY3N-24VAC, KMY3N-24VAC-L, KMY3N-24VDC, KMY3N-24VDC-L, KMY3N-36VAC, KMY3N-36VAC-L, KMY3N-36VDC, KMY3N-36VDC-L, KMY3N-3A-110VAC, KMY3N-3A-110VAC-L, KMY3N-3A-110VDC, KMY3N-3A-110VDC-L, KMY3N-3A-12VAC, KMY3N-3A-12VAC-L, KMY3N-3A-12VDC, KMY3N-3A-12VDC-L, KMY3N-3A-18VAC, KMY3N-3A-18VAC-L, KMY3N-3A-18VDC, KMY3N-3A-18VDC-L, KMY3N-3A-220VAC, KMY3N-3A-220VAC-L, KMY3N-3A-240VAC, KMY3N-3A-240VAC-L, KMY3N-3A-24VAC, KMY3N-3A-24VAC-L, KMY3N-3A-24VDC, KMY3N-3A-24VDC-L, KMY3N-3A-36VAC, KMY3N-3A-36VAC-L, KMY3N-3A-36VDC, KMY3N-3A-36VDC-L, KMY3N-3A-48VAC, KMY3N-3A-48VAC-L, KMY3N-3A-48VDC, KMY3N-3A-48VDC-L, KMY3N-3A-60VAC, KMY3N-3A-60VAC-L, KMY3N-3A-60VDC, KMY3N-3A-60VDC-L, KMY3N-3A-6VAC, KMY3N-3A-6VAC-L, KMY3N-3A-6VDC, KMY3N-3A-6VDC-L, KMY3N-3A-9VAC, KMY3N-3A-9VAC-L, KMY3N-3A-9VDC, KMY3N-3A-9VDC-L, KMY3N-3B-110VAC, KMY3N-3B-110VAC-L, KMY3N-3B-110VDC, KMY3N-3B-110VDC-L, KMY3N-3B-12VAC, KMY3N-3B-12VAC-L, KMY3N-3B-12VDC, KMY3N-3B-12VDC-L, KMY3N-3B-18VAC, KMY3N-3B-18VAC-L, KMY3N-3B-18VDC, KMY3N-3B-18VDC-L, KMY3N-3B-220VAC, KMY3N-3B-220VAC-L, KMY3N-3B-240VAC, KMY3N-3B-240VAC-L, KMY3N-3B-24VAC, KMY3N-3B-24VAC-L, KMY3N-3B-24VDC, KMY3N-3B-24VDC-L, KMY3N-3B-36VAC, KMY3N-3B-36VAC-L, KMY3N-3B-36VDC, KMY3N-3B-36VDC-L, KMY3N-3B-48VAC, KMY3N-3B-48VAC-L, KMY3N-3B-48VDC, KMY3N-3B-48VDC-L, KMY3N-3B-60VAC, KMY3N-3B-60VAC-L, KMY3N-3B-60VDC, KMY3N-3B-60VDC-L, KMY3N-3B-6VAC, KMY3N-3B-6VAC-L, KMY3N-3B-6VDC, KMY3N-3B-6VDC-L, KMY3N-3B-9VAC, KMY3N-3B-9VAC-L, KMY3N-3B-9VDC, KMY3N-3B-9VDC-L, KMY3N-48VAC, KMY3N-48VAC-L, KMY3N-48VDC, KMY3N-48VDC-L, KMY3N-60VAC, KMY3N-60VAC-L, KMY3N-60VDC, KMY3N-60VDC-L, KMY3N-6VAC, KMY3N-6VAC-L, KMY3N-6VDC, KMY3N-6VDC-L, KMY3N-9VAC, KMY3N-9VAC-L, KMY3N-9VDC, KMY3N-9VDC-L, KMY4N-110VAC, KMY4N-110VAC-L, KMY4N-110VDC, KMY4N-110VDC-L, KMY4N-12VAC, KMY4N-12VAC-L, KMY4N-12VDC, KMY4N-12VDC-L, KMY4N-18VAC, KMY4N-18VAC-L, KMY4N-18VDC, KMY4N-18VDC-L, KMY4N-220VAC, KMY4N-220VAC-L, KMY4N-240VAC, KMY4N-240VAC-L, KMY4N-24VAC, KMY4N-24VAC-L, KMY4N-24VDC, KMY4N-24VDC-L, KMY4N-36VAC, KMY4N-36VAC-L, KMY4N-36VDC, KMY4N-36VDC-L, KMY4N-48VAC, KMY4N-48VAC-L, KMY4N-48VDC, KMY4N-48VDC-L, KMY4N-4A-110VAC, KMY4N-4A-110VAC-L, KMY4N-4A-110VDC, KMY4N-4A-110VDC-L, KMY4N-4A-12VAC, KMY4N-4A-12VAC-L, KMY4N-4A-12VDC, KMY4N-4A-12VDC-L, KMY4N-4A-18VAC, KMY4N-4A-18VAC-L, KMY4N-4A-18VDC, KMY4N-4A-18VDC-L, KMY4N-4A-220VAC, KMY4N-4A-220VAC-L, KMY4N-4A-240VAC, KMY4N-4A-240VAC-L, KMY4N-4A-24VAC, KMY4N-4A-24VAC-L, KMY4N-4A-24VDC, KMY4N-4A-24VDC-L, KMY4N-4A-36VAC, KMY4N-4A-36VAC-L, KMY4N-4A-36VDC, KMY4N-4A-36VDC-L, KMY4N-4A-48VAC, KMY4N-4A-48VAC-L, KMY4N-4A-48VDC, KMY4N-4A-48VDC-L, KMY4N-4A-60VAC, KMY4N-4A-60VAC-L, KMY4N-4A-60VDC, KMY4N-4A-60VDC-L, KMY4N-4A-6VAC, KMY4N-4A-6VAC-L, KMY4N-4A-6VDC, KMY4N-4A-6VDC-L, KMY4N-4A-9VAC, KMY4N-4A-9VAC-L, KMY4N-4A-9VDC, KMY4N-4A-9VDC-L, KMY4N-4B-110VAC, KMY4N-4B-110VAC-L, KMY4N-4B-110VDC, KMY4N-4B-110VDC-L, KMY4N-4B-12VAC, KMY4N-4B-12VAC-L, KMY4N-4B-12VDC, KMY4N-4B-12VDC-L, KMY4N-4B-18VAC, KMY4N-4B-18VAC-L, KMY4N-4B-18VDC, KMY4N-4B-18VDC-L, KMY4N-4B-220VAC, KMY4N-4B-220VAC-L, KMY4N-4B-240VAC, KMY4N-4B-240VAC-L, KMY4N-4B-24VAC, KMY4N-4B-24VAC-L, KMY4N-4B-24VDC, KMY4N-4B-24VDC-L, KMY4N-4B-36VAC, KMY4N-4B-36VAC-L, KMY4N-4B-36VDC, KMY4N-4B-36VDC-L, KMY4N-4B-48VAC, KMY4N-4B-48VAC-L, KMY4N-4B-48VDC, KMY4N-4B-48VDC-L, KMY4N-4B-60VAC, KMY4N-4B-60VAC-L, KMY4N-4B-60VDC, KMY4N-4B-60VDC-L, KMY4N-4B-6VAC, KMY4N-4B-6VAC-L, KMY4N-4B-6VDC, KMY4N-4B-6VDC-L, KMY4N-4B-9VAC, KMY4N-4B-9VAC-L, KMY4N-4B-9VDC, KMY4N-4B-9VDC-L, KMY4N-60VAC, KMY4N-60VAC-L, KMY4N-60VDC, KMY4N-60VDC-L, KMY4N-6VAC, KMY4N-6VAC-L, KMY4N-6VDC, KMY4N-6VDC-L, KMY4N-9VAC, KMY4N-9VAC-L, KMY4N-9VDC, KMY4N-9VDC-L

\*\* - 05 through 24

Marking: Company name or trademark **KASYS**, **KACOM**, model designation and the Recognized Component

Mark for Canada,  on the product or on the smallest unit container in which the product is packaged.

Last Updated on 2020-06-19

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2021 UL LLC"